

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Previously Presented) An information handling system, comprising:

a processor for executing a program of instructions on the information handling system;  
a memory coupled to said processor for storing a program of instructions executable by said processor, said program of instructions capable of presenting an electronic program guide of viewable programs, storable in said memory and executable by said processor, and capable of enabling the information handling system to communicate with devices coupled to said information handling system via a network such that information encoded in a signal made available by the devices may be received and processed by the information handling system; and  
a first display coupled to the information handling system for displaying the electronic program guide;

wherein the program of instructions, when executed, is capable of permitting a search for devices coupled to the network, identifying the devices coupled to the network, determining which of the devices are tuning sources based on information from a device registry of the network, and adding those devices determined to be tuning sources to the electronic program guide as available tuning sources; and

wherein said devices determined to be the tuning sources comprise a second display.

2. (Canceled).

3. (Previously Presented) The information handling system as claimed in claim 1, wherein the first display coupled to the information handling system is capable of displaying the information encoded in a signal made available by at least one of the devices.

4. (Original) The information handling system as claimed in claim 1, wherein capabilities of said device to provide content to said display via the information handling system are incorporated into the program guide such that said device may be utilized by the information handling system.

5. (Previously Presented) The information handling system as claimed in claim 1, wherein at least one of the devices may be accessed via a distinct channel of the electronic program guide.

6. (Previously Presented) An information handling system, comprising:

means for executing a program of instructions on the information handling system; and

means, coupled to said executing means, for storing a program of instructions executable by said executing means, said program of instructions capable of presenting an electronic program organizing means for viewing programs, storable in said storing means and executable by said executing means, and capable of enabling the information handling system to communicate with devices coupled to said information handling system via means for coupling electronic devices such that information encoded in a signal made available by the devices may be received and processed by the information handling system,

wherein the program of instructions, when executed, are capable of permitting a search for devices coupled to the means for coupling electronic devices, identifying the devices coupled to the means for coupling electronic devices, determining which of the devices are tuning sources based on information from a device registry of the network, and adding those devices determined to be tuning sources to the electronic program guide as available tuning sources.

7. (Previously Presented) The information handling system as claimed in claim 6, further comprising means for displaying information coupled to the information handling system for displaying said electronic program organizing means.

8. (Previously Presented) The information handling system as claimed in claim 6, further comprising means for displaying information coupled to the information handling system for displaying the information encoded in a signal made available by the devices.

9. (Previously Presented) The information handling system as claimed in claim 6, wherein capabilities of the devices to provide content to said display means via the information handling system are incorporated into the electronic program organizing means such that each of the devices may be utilized by the information handling system.

10. (Previously Presented) The information handling system as claimed in claim 6, wherein at least one of the devices may be accessed via a distinct channel of the electronic program organizing means.

11. (Previously Presented) A method for utilizing a program guide with an information handling system, comprising the following steps:

generating program guide data for programming information available from a first device coupled to the information handling system;

monitoring for the presence of additional devices coupled to the information handling system via a network;

identifying at least one device coupled to the information handling system via the network;

determining whether the identified device is capable of providing programming material based on information from a device registry of the network;

in the event the identified device is determined to be capable of providing programming material, adding access to such program source via the device to the program guide; and

enabling control of the identified device via the program guide in response to adding said access.

12. (Canceled).

13. (Original) The method as claimed in claim 11, further comprising the following steps:

determining whether a channel of the identified device conflicts with a channel of the program guide,

in the event it is determined that a channel of the identified device conflicts with a channel of the program guide, mapping the channel of the identified device to a virtual channel on the program guide, and

otherwise mapping the channel of the identified device to an actual channel of the program guide.

14. (Original) The method as claimed in claim 11, further comprising the step of displaying a program received from the identified device on a display coupled to the information handling system.

15. (Original) The method as claimed in claim 11, further comprising the step of simultaneously receiving a program from the first device and the identified device at the information handling system.

16. (Original) The method as claimed in claim 11, further comprising the step of simultaneously displaying a program received from the first device and the identified device on a display coupled to the information handling system.

17. (Original) The method as claimed in claim 11, said identifying step including the step of obtaining device information from a registry of the network.

18. (Original) The method as claimed in claim 11, said step of determining whether the identified device is capable of being utilized as a program source including the step of obtaining device information from a registry of the network.

19. (Original) The method as claimed in claim 11, further comprising the step of, in the event it is determined that the identified device is capable of being utilized as a program source, continuing the method with said identifying step for additional devices that may be available to the network.

20. (Currently Amended) The method as claimed in claim ~~12~~ 11, said controlling step including the step of tuning to a program signal generated by the identified device via the program guide.

21. (Original) The method as claimed in claim 11, said monitoring step including the step of enabling the information handling system to search for the presence of additional devices.

22. (Original) The method as claimed in claim 11, said monitoring step including the step of enabling at least one additional device to notify the information handling system of said at least one additional device's presence.

23. (Previously Presented) A program of instructions storable on a medium readable by an information handling system for causing the information handling system to execute steps for utilizing a program guide on the information handling system, the steps comprising:

generating program guide data for programming information available from a first device coupled the information handling system;

monitoring for the presence of additional devices coupled to a network to which the information handling system is coupled;

identifying at least one device coupled to the network;

determining whether the identified device is capable of providing programming material based on information from a device registry of the network; and

in the event the identified device is determined to be capable of providing programming material, adding the device to the program guide.

24. (Original) The program of instructions as claimed in claim 23, further comprising the step of enabling control of the device via the program guide.

25. (Original) The program of instructions as claimed in claim 23, further comprising the following steps:

determining whether a channel of the identified device conflicts with a channel of the program guide,

in the event it is determined that a channel of the identified device conflicts with a channel of the program guide, mapping the channel of the identified device to a virtual channel on the program guide, and

otherwise mapping the channel of the identified device to an actual channel of the program guide.

26. (Original) The program of instructions as claimed in claim 23, further comprising the step of displaying a program received from the identified device on a display coupled to the information handling system.

27. (Original) The program of instructions as claimed in claim 23, further comprising the step of simultaneously receiving a program from the first device and the identified device at the information handling system.

28. (Original) The program of instructions as claimed in claim 23, further comprising the step of simultaneously displaying a program received from the first device and the identified device on a display coupled to the information handling system.

29. (Original) The program of instructions as claimed in claim 23, said identifying step including the step of obtaining device information from a registry of the network.

30. (Original) The program of instructions as claimed in claim 23, said step of determining whether the identified device is capable of being utilized as a program source including the step of obtaining device information from a registry of the network.



31. (Original) The program of instructions as claimed in claim 23, further comprising the step of, in the event it is determined that the identified device is capable of being utilized as a program source, continuing the method with said identifying step for additional services that may be available to the network.

32. (Original) The program of instructions as claimed in claim 24, said controlling step including the step of tuning to a program signal generated by the identified device via the program guide.

33. (Original) The program of instructions as claimed in claim 23, said monitoring step including the step of enabling the information handling system to search for the presence of additional devices.

34. (Original) The program of instructions as claimed in claim 23, said monitoring step including the step of enabling at least one additional device to notify the information handling system of said at least one additional device's presence.

35. (Previously Presented) The information handling system as claimed in claim 1, wherein the program of instructions, when executed, is capable of determining if there is a channel conflict.

36. (Previously Presented) The information handling system as claimed in claim 35, wherein, if it is determined there is a channel conflict, a tuning source is mapped to a virtual channel.

37. (Previously Presented) The information handling system as claimed in claim 35, wherein, if it is determined there is no channel conflict, a tuning source is mapped to an actual channel.

38. (Previously Presented) The information handling system as claimed in claim 6, wherein the program of instructions, when executed, is capable of determining if there is a channel conflict.

39. (Previously Presented) The information handling system as claimed in claim 38, wherein, if it is determined there is a channel conflict, a tuning source is mapped to a virtual channel.

40. (Previously Presented) The information handling system as claimed in claim 38, wherein, if it is determined there is no channel conflict, a tuning source is mapped to an actual channel.

41. (Previously Presented) A method for utilizing an electronic program guide with an information handling system, comprising:

generating electronic program guide data;

searching for devices coupled to a network;

identifying devices coupled to the network;

determining the identified devices which are tuning sources based on information from device registry of the network; and

adding the identified devices determined to be tuning sources to the electronic program guide data as available turning sources.

42. (Previously Presented) The method as claimed in claim 41, further comprising determining if there is a channel conflict amongst the identified devices determined to be tuning sources.

43. (Previously Presented) The method as claimed in claim 42, further comprising, if there is determined to be a channel conflict, mapping a corresponding one of the tuning sources to a virtual channel.

44. (Previously Presented) The method as claimed in claim 42, further comprising, if there is not determined to be a channel conflict, mapping a corresponding one of the tuning sources to an actual channel.

45. (Previously Presented) The information handling system as claimed in claim 1, wherein the electronic program guide is a first electronic program guide, and the second display of the devices coupled to the network is capable of displaying a second electronic program guide including the information which is encoded in said signal and made available by the devices.

46. (Previously Presented) The method as claimed in claim 11, wherein the information handling system comprises a first display for displaying the program guide and the identified device is associated with a second display capable of displaying said programming material.

47. (New) The information handling system as claimed in claim 1, wherein said devices coupled to the network comprise a tuning source device configured to receive television signals.

48. (New) The information handling system as claimed in claim 47, wherein said tuning source device is a videocassette recorder configured to receive the television signals from one of a group consisting of a cable television system, an airwave broadcast television station, and a broadcast satellite.

49. (New) The information handling system as claimed in claim 6, wherein said devices coupled to the information handling system comprise a tuning source device configured to receive television signals.

50. (New) The information handling system as claimed in claim 49, wherein said tuning source device is a videocassette recorder configured to receive the television signals from one of a group consisting of a cable television system, an airwave broadcast television station, and a broadcast satellite.

51. (New) The method as claimed in claim 11, wherein said at least one device coupled to the information handling system comprise a tuning source device configured to receive television signals.

52. (New) The method as claimed in claim 51, wherein said tuning source device is a videocassette recorder configured to receive the television signals from one of a group consisting of a cable television system, an airwave broadcast television station, and a broadcast satellite.

53. (New) The program of instructions as claimed in claim 23, wherein said the identified device comprises a tuning source device configured to receive television signals.

54. (New) The program of instructions as claimed in claim 53, wherein said tuning source device is a videocassette recorder configured to receive the television signals from one of a group consisting of a cable television system, an airwave broadcast television station, and a broadcast satellite.

55. (New) The method as claimed in claim 41, wherein said the identified devices comprise a tuning source device configured to receive television signals.

56. (New) The method as claimed in claim 55, wherein said tuning source device is a videocassette recorder configured to receive the television signals from one of a group consisting of a cable television system, an airwave broadcast television station, and a broadcast satellite.